

Package: TVMM (via r-universe)

September 11, 2024

Type Package

Title Multivariate Tests for the Vector of Means

Version 3.2.1

Author Henrique Jose de Paula Alves [aut, cre], Ben Deivide de Oliveira Batista [ctb], Daniel Furtado Ferreira [aut]

Maintainer Henrique Jose de Paula Alves <jpahenrique@gmail.com>

Description This is a statistical tool interactive that provides multivariate statistical tests that are more powerful than traditional Hotelling T2 test and LRT (likelihood ratio test) for the vector of normal mean populations with and without contamination and non-normal populations (Henrique J. P. Alves & Daniel F. Ferreira (2019) <[DOI:10.1080/03610918.2019.1693596](https://doi.org/10.1080/03610918.2019.1693596)>).

Depends R (>= 3.1.0)

Imports tcltk, ggplot2, robustbase, tcltk2, gridExtra, stats, utils, MASS, grDevices, DescToolsAddIns

Suggests tkrplot

License GPL-2

Encoding UTF-8

LazyData TRUE

RoxygenNote 7.1.1

NeedsCompilation no

Date/Publication 2020-12-14 19:50:02 UTC

Repository <https://henriqueest.r-universe.dev>

RemoteUrl <https://github.com/cran/TVMM>

RemoteRef HEAD

RemoteSha a1564c4589ae9500d679a1df0ffef5477561ae09

Contents

guiTVMM	2
LRTTBoot	3
LRTTrace	4
LRTTRBoot	4
T2Boot	5
T2O	6
T2RobustBoot	7
Index	9

 guiTVMM

A graphical user interface (GUI) of the package TVMM

Description

A graphical user interface (GUI) of the package TVMM to perform more general hypothesis tests on the vector of multivariate population means.

<https://rpubs.com/Henriqueufla/617206> for more details.

Usage

```
guiTVMM(gui = TRUE)
```

Arguments

`gui` Logical argument, TRUE or FALSE. The default is TRUE

Value

guiTVMM A graphical user interface (GUI) for performing tests on the vector of multivariate population means.

References

Henrique J. P. Alves & Daniel F. Ferreira (2019): Proposition of new alternative tests adapted to the traditional T2 test, Communications in Statistics - Simulation and Computation, DOI: 10.1080/03610918.2019.1693596

Examples

```
library(TVMM)
if(interactive()){
  guiTVMM(gui=FALSE)
}
```

LRTTBoot	<i>The likelihood ratio parametric bootstrap with trace test (TLRPBT). This test is more powerful.</i>
----------	--

Description

An parametric bootstrap alternative test version of the Likelihood ratio test (LRT) to test the hypotheses about a vector of population averages. This test has the advantage of being valid for high dimension data ($n < p$). This test should be preferred by the user, as it controlled the type I error and had greater power in all scenarios evaluated.

Usage

```
LRTTBoot(X, mu0, B)
```

Arguments

X	a matrix $n \times p$ containing n observations and p variables. It should not contain missing values (NA).
mu0	a vector containing the mean population to be tested.
B	the number of resamples bootstrap parametric which must be at least equal to 2000.

Value

the numerical value and the p-value of the test statistic.

Examples

```
set.seed(0)
library(MASS)
n <- 30
p <- 2
rho <- 0.9
delta <- 0.9
mu <- rep(0, times = p)
Sigma <- (1 - rho) * diag(p) + rho * matrix(1, p, p)
mu0 <- rep(0.3271, times = p)
B <- 200
X <- mvrnorm(n, mu, Sigma)
LRTTBoot(X=X, mu0=mu0, B=B)
```

LRTTrace	<i>The likelihood ratio test with trace (TLRT)</i>
----------	--

Description

An asymptotic version of the Likelihood ratio test (LRT) to test the hypotheses about a vector of population averages. This test has the advantage of being valid for high dimension data ($n < p$).

Usage

```
LRTTrace(X, mu0)
```

Arguments

X	a matrix $n \times p$ containing n observations and p variables. It should not contain missing values (NA).
mu0	a vector containing the mean population to be tested.

Value

the numerical value and the p-value of the test statistic.

Examples

```
set.seed(0)
library(MASS)
n <- 30
p <- 2
rho <- 0.9
delta <- 0.9
mu <- rep(0, times = p)
Sigma <- (1 - rho) * diag(p) + rho * matrix(1, p, p)
mu0 <- rep(0.3271, times = p)
X <- mvrnorm(n, mu, Sigma)
LRTTrace(X=X, mu0=mu0)
```

LRTTRBoot	<i>The robust likelihood ratio test parametric bootstrap with trace test (RTLTPBT).</i>
-----------	---

Description

An robust alternative test version of the likelihood ratio test (LRT) parametric bootstrap with trace (RTLTPBT) to test the hypotheses about a vector of population averages using the comedian robust estimator. This test has the advantage of being valid for high dimension data ($n < p$).

Usage

```
LRTTRBoot(X, mu0, B)
```

Arguments

X a matrix $n \times p$ containing n observations and p variables. It should not contain missing values (NA).

mu0 a vector containing the mean population to be tested.

B the number of resamples bootstrap parametric which must be at least equal to 2000.

Value

the numerical value and the p-value of the test statistic.

Examples

```
set.seed(0)
library(MASS)
n <- 30
p <- 2
rho <- 0.9
delta <- 0.9
mu <- rep(0, times = p)
Sigma <- (1 - rho) * diag(p) + rho * matrix(1, p, p)
mu0 <- rep(0.3271, times = p)
B <- 200
X <- mvrnorm(n, mu, Sigma)
LRTTRBoot(X=X, mu0=mu0, B=B)
```

T2Boot

The parametric bootstrap T2 test (T2Boot).

Description

The parametric bootstrap version of the traditional T2 test.

Usage

```
T2Boot(X, mu0, B)
```

Arguments

X a matrix $n \times p$ containing n observations and p variables. It should not contain missing values (NA).

mu0 a vector containing the mean population to be tested.

B the number of resamples bootstrap parametric which must be at least equal to 2000.

Value

the numerical value and the p-value of the test statistic.

References

Henrique J. P. Alves & Daniel F. Ferreira (2019): Proposition of new alternative tests adapted to the traditional T2 test, Communications in Statistics - Simulation and Computation, DOI: 10.1080/03610918.2019.1693596

Examples

```
set.seed(0)
library(MASS)
n <- 30
p <- 2
rho <- 0.9
delta <- 0.9
mu <- rep(0, times = p)
Sigma <- (1 - rho) * diag(p) + rho * matrix(1, p, p)
mu0 <- rep(0.3271, times = p)
B=2000
X <- mvrnorm(n, mu, Sigma)
T2Boot(X=X, mu0=mu0, B=2000)
```

T20

The traditional T2 test (T2).

Description

The traditional T2 test (T2).

Usage

```
T20(X, mu0)
```

Arguments

X	a matrix n x p containing n observations and p variables. It should not contain missing values (NA).
mu0	a vector containing the mean population to be tested.

Value

the numerical value and the p-value of the test statistic.

References

Henrique J. P. Alves & Daniel F. Ferreira (2019): Proposition of new alternative tests adapted to the traditional T2 test, Communications in Statistics - Simulation and Computation, DOI: 10.1080/03610918.2019.1693596

Examples

```
set.seed(0)
library(MASS)
n <- 30
p <- 2
rho <- 0.9
delta <- 0.9
mu <- rep(0, times = p)
Sigma <- (1 - rho) * diag(p) + rho * matrix(1, p, p)
mu0 <- rep(0.3271, times = p)
X <- mvrnorm(n, mu, Sigma)
T20(X=X, mu0=mu0)
```

T2RobustBoot

The T2 robust parametric bootstrap test (T2RPB).

Description

The robust parametric bootstrap version of the traditional T2 test using the comedian robust estimator.

Usage

```
T2RobustBoot(X, mu0, B)
```

Arguments

X	a matrix n x p containing n observations and p variables. It should not contain missing values (NA).
mu0	a vector containing the mean population to be tested.
B	the number of resamples bootstrap parametric which must be at least equal to 2000.

Value

the numerical value and the p-value of the test statistic.

References

Henrique J. P. Alves & Daniel F. Ferreira (2019): Proposition of new alternative tests adapted to the traditional T2 test, Communications in Statistics - Simulation and Computation, DOI: 10.1080/03610918.2019.1693596

Examples

```
set.seed(0)
library(MASS)
n <- 30
p <- 2
rho <- 0.9
delta <- 0.9
mu <- rep(0, times = p)
Sigma <- (1 - rho) * diag(p) + rho * matrix(1, p, p)
mu0 <- rep(0.3271, times = p)
B <- 200
X <- mvrnorm(n, mu, Sigma)
T2RobustBoot(X=X, mu0=mu0, B=B)
```


Index

guiTVMM, [2](#)

LRTTBoot, [3](#)

LRTTrace, [4](#)

LRTRBoot, [4](#)

T2Boot, [5](#)

T20, [6](#)

T2RobustBoot, [7](#)